

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1 to 46. (canceled)

47. (Previously Presented) A system for performing a fast Fourier transform on N ordered inputs in n stages comprising:

a non-final stage calculating means for repetitively performing in-place butterfly calculations for n-1 stages;

a final stage calculating means for performing a final stage of butterfly calculations including:

a first loop means for performing a portion of the final stage butterfly calculations, the first loop means performing the set of butterfly calculations, and storing butterfly calculation outputs in shuffled order in place of the selected inputs to result in a correct ordering of transform outputs; and

a second loop means for performing a remaining portion of the final stage butterfly calculations, the second loop means performing two sets of butterfly calculations, and storing butterfly calculation outputs from a first one of the two sets of butterfly calculations in shuffled order in place of the inputs selected for a second one of the two sets of butterfly calculations and storing butterfly calculation outputs from the second one of the two sets of butterfly calculations in shuffled order in place of the inputs selected for the first one of the two sets of butterfly calculations to result in a correct ordering of transform outputs.

48. (Previously Presented) The system of claim 47, wherein the final stage calculating means performs all butterfly calculations as radix-4 butterflies having four inputs and four outputs.

49. (Previously Presented) The system of claim 48, wherein N is a power of two.

50. (Previously Presented) The system of claim 49, wherein the non-final stage calculating means performs a first stage of radix-8 butterfly calculations followed by $n-2$ stages of radix-4 butterfly calculations.

51. (Previously Presented) The system of claim 48, wherein the non-final and final stage calculating means include a four-fold SIMD processor for performing four radix-4 butterfly calculations at a time.

52. (Previously Presented) A method for performing a fast Fourier transform on N ordered inputs in n stages comprising:

performing non-final stage calculations by repetitively performing in-place butterfly calculations for $n-1$ stages;

performing final stage calculations by performing a final stage of butterfly calculations in a first loop for performing a portion of the final stage butterfly calculations and in a second loop for performing a remaining portion of the final stage butterfly calculations;

wherein each of the butterfly calculations in the first loop and the second loop includes storing butterfly calculation outputs in shuffled order in place of selected inputs to result in a correct ordering of transform outputs.

53. (Currently Amended) The method of claim 52, wherein the final stage butterfly calculations are all performed as radix-4 butterflies having four inputs and four ~~outputs~~. outputs.

54. (Previously Presented) The method of claim 53, further comprising storing twiddle factors for application in the butterfly calculations in groups of four, each group having an index and the groups being stored in bit reversed order based on the index.

55. (Previously Presented) A method for performing a fast Fourier transform on N ordered inputs in n stages comprising:

performing non-final stage calculations by repetitively performing in-place butterfly calculations for $n-1$ stages;

performing final stage calculations by performing a final stage of butterfly calculations wherein butterfly calculation outputs are stored in shuffled order in place of selected inputs to result in a correct ordering of transform outputs.

56. (Currently Amended) The method of claim 55, wherein the final stage butterfly calculations are all performed as radix-4 butterflies having four inputs and four ~~outputs~~: outputs.

57. (Previously Presented) The method of claim 56, further comprising storing twiddle factors for application in the butterfly calculations in groups of four, each group having an index and the groups being stored in bit reversed order based on the index.